

ANESCO



ANESCO AV TECH
ANESCOAV@GMAIL.COM
(210) 341-0458

Let us help you

**GET READY
FOR SCHOOL**

ANESCO AV TECH

TECHNOLOGY SALE



REGION 20-13 BID# 21027

SAISD BID# 18-033RC OR #18-086

NEISD BID# RFP 99-19

NEISD REPAIRS BID# RFP89-17

NEISD LAMINATOR BID# RFP 135-18

SAM CAGE CODE 87CW7

BOERNE ISD BID# RFP-19-021



FOR INQUIRIES CALL:

(210) 341-0458

ANESCO AV TECH

INSTALLATIONS



- **CEILING MOUNTED PROJECTORS**
- **ON WALL TV MONITORS**
- **SOUND SYSTEM FOR STAGES**
- **LIBRARY PROJECTION SCREENS**
- **MESSAGING MONITORS**



EQUIPMENT WE REPAIR

- **LAMINATORS**
- **LCD PROJECTORS**
- **ELMO PRESENTERS**



**CALL FOR AN ESTIMATE ON
INSTALLATIONS OR REPAIRS**

PHONE:(210) 341-0458

FAX: (210) 341-4516




AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS



P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM

- Clear, plexiglass dividers on wheels.
- Can double as marker boards

ESSENTIALS MOBILE WHITEBOARD



- Get mobile dry erase space, create private work areas, and facilitate group learning with the Essentials Mobile Whiteboard.
- Featuring anodized aluminum trim, the mobile markerboard is available with a magnetic surface to fit any need or environment, from corporate to classroom.
- Double sided dry erase whiteboard writing surfaces each measure 38.5"W x 54"H.
- Flip chart hooks included. Hooks can be adjusted from 2.25" to 37.5" apart.
- Marker cup that can be attached to the frame also included.
- Wide base design provides stability and heavy duty locking casters give you easy mobility.

PART NO.	ITEM	DIMENSIONS	SHIP WT.
62542	Essentials Mobile Whiteboard - Platinum (Magnetic)	71.8"H x 42"W x 21"D	50 lbs

Shipping weights are listed on a per item basis and may vary based on quantities ordered.

*Ships UPS.

**Ships UPS with large package surcharge or additional handling fee.



Audio-Visual Service & Installation
www.anescoavtech.com

P.O. Box 17595
San Antonio, Texas 78217
Phone: (210) 341-0458
Fax: (210) 341-4516



**TWO-SIDED
REVERSIBLE
BACKGROUND**
WITH STAND, CLAMP AND CARRY CASE



**95CRI
9" BI-COLOR
LED RING LIGHT**
WITH STAND, MOUNT AND
CARRY CASE

CONDENSER MIC
COMPATIBLE WITH MOST
PC'S AND PHONES

PHONE MOUNT
FITS MOST IOS AND ANDROID

ANESCO
AVTECH, INC.
Audio-Visual Service & Installation
www.anescoavtech.com

P.O. Box 17595
San Antonio, Texas 78217
Phone: (210) 341-0458
Fax: (210) 341-4516

**Turn your phone
into a recording
studio!**

Smart-Trek™ Deluxe Stereo Headset with In-Line Volume Control and 3.5mm TRRS Plug

ST2BK



HYGENX™

by HamiltonBuhl™

HygenX™ Disposable Covers are the safe, easy way to keep students, customers, patients and individuals protected when using headphones and headsets. The hypoallergenic material and special weave design allow full sound quality and comfort.

The "tissue box" package design make for easy storage and distribution. Available in two sizes to fit most any headset/headphone; in quantities of 50 and 600-pair boxes, and in several colors.

DURA-CORD™

Headphones and headsets shown with this icon come with Dura-Cord™ – our chew, kink and knot-resistant, PVC-jacketed, braided nylon cord – specially-designed to be more durable and reliable than ever!

ANTI-LICE

Each headphone comes in its own heavy-duty, write-on, moisture resistant, reclosable bag. When sealed in the bag, lice are killed in 24–48 hours, without the use of chemicals.

Smart-Trek™

ST2BK Features



Comfort Padded Headband

Adjustable Headband

High Quality Leatherette Ear Cushions

Rugged, Adjustable Gooseneck Microphone

Gooseneck, Steel-Reinforced Microphone

In-Line Volume Control

120° Angled 3.5mm TRRS Plug

Durable Dura-Cord™



Extremely Durable and Flexible for Long Life!

Hamilton Buhl
Never-Ending Learning Innovation

80 Little Falls Road, Fairfield, NJ 07004
Phone: 1-800-631-0868 • Fax: 1-800-398-1812
sales@hamiltonbuhl.com
www.HamiltonBuhl.com

AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS

ANESCO
AVTECH, INC.

P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM

deluxe headset



MX-P3

Visual Presenter

IMAGES


True-to-Life

13MP

4K Camera

16X

Digital Zoom



AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS



P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM



4K Ultra HD
Resolution



16x Digital
Zoom



HDMI, RGB
and USB



Magnetic
Base



Built-in
Microphone



5 year
Warranty


MX-P3

Visual Presenter

This powerfully portable document camera delivers the smoothest true-to-life image without any delay.

Specifications

Image Pick-up Device	13M CMOS
Total Pixels	4160 x 3120
Frame Rate	60fps
Zoom Ratio	16x Digital
Shooting Area	374mm x 281mm
Focus	One-push auto focus
Output Resolution	4K Ultra HD
Image Rotation	0,180 degrees
Freeze Frame	✓
Analog RGB Output	✓
HDMI Output	✓
USB Output	✓
SD Card Slot	✓
Internal Microphone	✓
Weight	1.2 lbs
Warranty	5 years



Use MX-P3 to show documents or objects to your audience.



Swivel the camera head to use MX-P3 as a webcam for online lessons or meetings.

ACCESSORIES



M Series
Microscope Adapter
#1371



MX Writing Board
#1356


AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS

ANESCO
AVTECH, INC.

P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM

MINIKOTE LAMINATOR

School & Office



The MiniKote School & Office 27 Item #201595

Providing Global Solutions For Identification & Lamination



This easy to operate, full featured, sleek, contemporary design is perfect for classroom and office environments. When your professional requirements demand a dependable, simple-to-operate laminator, Laminex meets those needs with our MiniKote Laminators. Offers the same dependable and reliable quality lamination as the Laminex AV Machines that have become so highly regarded for the past 50 years. Easily protects and preserves all your educational and professional documents including charts, posters, maps, newspaper clippings, teaching aids, children's drawings and more.

**Updated Design
Replaces AV Series**

**Same Dependable
Quality Lamination**

Ideal For Laminating

- Rules, Regulations & Procedures
- Attendance, Payroll, Records, Etc.
- Licenses & Certificates
- Schedules & Charts
- Magazine/Newspaper Articles
- Legal Documents
- Student/Employee Lists
- Display Signs
- Blueprints
- Labels
- Awards
- Diplomas
- Placemats
- Book Jackets
- Reports
- Contracts
- Corporate Records
- Photographs
- Flash Cards
- X-Rays
- Manuals
- Library Cards
- Transparencies
- ...and many more



AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS



P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM



MiniKote School & Office

Standard Features

- **User Preset** Saves Speed And Temperature Settings Defined By The User
- **Factory Presets** Set A Speed And Temperature That Is Optimal For 1.5 Mil Permalam® Film (275°F) And 1.5 Mil Extralam® Film (250°F)
- **Footage Counter** With Reset Easily Tracks Laminating Film Usage
- **Hand Held Slitter** Convenient And Handy With Storage Right On The Machine
- **Adjustable Feedguide** Assures Exact Lamination
- **1" Mandrels Standard** (2 5/16" Supply Roll Mandrel Kit Optional)
- **Safety Shield** Prevents Accidental Contact With Heated Areas Of Machine
- **120V MiniKote Laminator** Accepts Standard Permalam® (homopolymer) Films In 1.5 and 3 Mil And 1.5 And 3 Mil Extralam® (copolymer) Films
- **Keyswitch** Prevents Unauthorized Use Of The Laminator
- **Stop/Reverse** Button To Reverse The Machine
- **Digital Display** Will Show Temperature, Speed And Footage Counter
- **Temperature Controls** Increase And Decrease The Temperature In 1° Increments
- **UL Listed**
- **CSA Approved, EU Approved**

Optional Features

- **Footswitch** For Hands Free Operation, Frees Hands For Guiding Materials During Lamination
- **Slitter Kit**, In-Line Slitter Allows Document Trimming During Lamination
- **Supply Roll Mandrel Kit** Allows The Machine To Accommodate 2 1/4" And 2 5/16" (LX) Core. Replaces Standard 1" Core.

MINIKOTE
School & Office


Item #201595 (120V)
(Not Available in 240V)

Height 15" Width 34" Depth (with feed tray) 20"
 Net Weight 66 Lbs. Shipping Weight 73 Lbs.
 Width of Lamination 27"
 Electrical: (120V) 120V AC, 60 Hz, 1400w
 Color/Housing Red
 Standard Core 1"
 Speed 0 to 9.5 FPM (feet per minute)
 Film Accommodation 1.5 Mil & 3 Mil
 (max. supply roll 1000' @ 1.5 Mil)

Metric Conversion Key

Dimension Height 15" = 381 mm
 Dimension Width 34" = 863.6 mm
 Dimension Depth 20" = 508 mm
 Lamination Width 27" = 685.8 mm
 Net Weight 66 Lbs. = 29.7 K

Shipping Weight 73 Lbs. = 32.8 K
 Core Dimensions 1" = 25.4 mm
 2 1/4" = 57.15 mm
 2 5/16" (LX) = 58.74 mm
 Speed 0 to 9.5 FPM = 2.9 Meters Per Minute
 Mil Thickness 1.5 Mil = 38.1 Microns
 3.0 Mil = 76.2 Microns
 (1000' = 304 meters)




Hand Held Slitter with storage location on machine.

Footage Counter with digital display and reset easily tracks laminating film usage.

Keyswitch prevents unauthorized use.

Safety Shield prevents accidental contact with heated areas.

Film Supplies Available



For more information on the complete line of Laminex products including:

- ID Cards/Badges
- Video Identification Systems
- Desktop/Pouch Laminators
- Photo ID Systems/Supplies
- ID Accessories/Supplies
- Roll Laminators/Feeders/Cutters
- Laminating Films/Supplies

Call Toll Free: (800)438-8850

Products subject to change without notice.

Laminex

Badging Solutions

AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS

ANESCO

AVTECH, INC.

P.O. BOX 17595
 SAN ANTONIO, TEXAS 78217
 (210) 341-0458
 WWW.ANESCOAVTECH.COM

ANESCO AV TECH

LAMINATING FILM SALE



ORDER #G2551-1

- **25" X 500' ROLL**
- **1.5 MIL THICKNESS**
- **1" CORE**



ORDER #G2751-1

- **27" X 500' ROLL**
- **1.5 MIL THICKNESS**
- **1" CORE**



ANESCO



Audio-Visual Service & Installation
www.anescoavtech.com

P.O. Box 17595
San Antonio, Texas 78217
Phone: (210) 341-0458
Fax: (210) 341-4516

ANESCO AV TECH

LAMINATING FILM SALE



ORDER #LG25253-1

- **25" X 250' ROLL**
- **3 MIL THICKNESS**



ORDER #LG27253-1

- **27" X 250' ROLL**
- **3 MIL THICKNESS**



ALL DISCOUNTS ALREADY APPLIED

ANESCO



Audio-Visual Service & Installation
www.anescoavtech.com

P.O. Box 17595
San Antonio, Texas 78217
Phone: (210) 341-0458
Fax: (210) 341-4516

PA Systems

*Fender Passport Speakers and Accessories
Offer Power and Performance*

Fender



Fender Passport CONFERENCE 175 Watt 5-Channel Portable PA

A self-contained portable audio system that provides everything needed to deliver amplification to a small- to medium-sized audience

- Lightweight, 5-channel PA system that offers big sound in a small footprint
- 175W Class D-powered PA delivers crystal-clear highs and thundering lows
- Inputs: 3 x XLR, 3 x TS, 1 x 1/4" stereo, and 1 x 1/8" stereo
- Controls: Tone, Volume, and 20dB pad for each channel
- Perfect for solo performers, small ensembles, and speaking presentations
- Incorporates 1 x 5.25" woofer, 2 x 2.75" tweeters in each speaker
- Includes a dynamic microphone and all cables needed to get up and running

6945000000




Fender Passport EVENT 375 Watt 7-Channel Portable PA w/Bluetooth

The Passport Event packs 375 watts of power into this all-in-one unit

- Lightweight, 7-channel PA system that offers big sound in a small footprint
- 375W Class D-powered PA delivers crystal-clear highs and thundering lows
- Bluetooth connectivity for streaming music from your mobile device
- Inputs: 4 x XLR, 1 x TRS, 1 x 1/4" instrument jacks, 1 x 1/4" stereo, and 1 x 1/8" stereo
- Controls: High EQ, Low EQ, Volume, and Reverb for each channel
- Incorporates 1 x 8" woofer, 1 x 1.2" horn-loaded tweeter in each speaker
- Includes a dynamic microphone and all cables needed to get up and running

6946000000



Fender Passport VENUE 600 Watt 10-Channel Portable w/USB

The Passport Venue is a self-contained portable audio system that includes everything you need for great sound anywhere you go

- Lightweight, 10-channel PA system that offers big sound in a small footprint
- 600W Class D-powered PA delivers crystal-clear highs and thundering lows
- Record WAV files directly to a USB key with the built-in USB Record/Playback jack
- Inputs: 4 x XLR, 2 x 1/4" instrument jacks, 1 x 1/4" stereo, and 1 x 1/8" stereo, and USB
- Controls: High EQ, Low EQ, Volume, and Reverb for each channel
- Incorporates 1 x 10" woofer, 1 x 1.2" horn-loaded tweeter in each speaker
- Includes all cables needed to get up and running

6947000000



Fender ST-275 Speaker Stands (Pair)

- Constructed of anodized aluminum alloy tubing
- For use with Passport speakers or any speaker with a pole-mount adapter
- 60-pound capacity
- Packs in nylon carrying bag
- 30 lbs. shpg.

069-9001-000

AUDIO VISUAL SALES • REPAIRS • INSTALLATIONS

ANESCO
AVTECH, INC.

P.O. BOX 17595
SAN ANTONIO, TEXAS 78217
(210) 341-0458
WWW.ANESCOAVTECH.COM

ANESCO



**GYM AND CAFETERIA
SOUND**

**SYSTEM PACKAGES:
INSTALLED**

STARTING AT \$3,995.00



**CALL FOR A FREE QUOTE
TODAY!**

(210) 341-0458